

Changes in the Relationship Between Income and Life Expectancy Before and During the COVID-19 Pandemic, California, 2015-2021

Hannes Schwandt, PhD; Janet Currie, PhD; Till von Wachter, PhD; Jonathan Kowarski, MA; Derek Chapman, PhD; Steven H. Woolf, MD, MPH

 Supplemental content

IMPORTANCE The COVID-19 pandemic caused a large decrease in US life expectancy in 2020, but whether a similar decrease occurred in 2021 and whether the relationship between income and life expectancy intensified during the pandemic are unclear.

OBJECTIVE To measure changes in life expectancy in 2020 and 2021 and the relationship between income and life expectancy by race and ethnicity.

DESIGN, SETTING, AND PARTICIPANTS Retrospective ecological analysis of deaths in California in 2015 to 2021 to calculate state- and census tract-level life expectancy. Tracts were grouped by median household income (MHI), obtained from the American Community Survey, and the slope of the life expectancy-income gradient was compared by year and by racial and ethnic composition.

EXPOSURES California in 2015 to 2019 (before the COVID-19 pandemic) and 2020 to 2021 (during the COVID-19 pandemic).

MAIN OUTCOMES AND MEASURES Life expectancy at birth.

RESULTS California experienced 1 988 606 deaths during 2015 to 2021, including 654 887 in 2020 to 2021. State life expectancy declined from 81.40 years in 2019 to 79.20 years in 2020 and 78.37 years in 2021. MHI data were available for 7962 of 8057 census tracts (98.8%; $n = 1\,899\,065$ deaths). Mean MHI ranged from \$21 279 to \$232 261 between the lowest and highest percentiles. The slope of the relationship between life expectancy and MHI increased significantly, from 0.075 (95% CI, 0.07-0.08) years per percentile in 2019 to 0.103 (95% CI, 0.098-0.108; $P < .001$) years per percentile in 2020 and 0.107 (95% CI, 0.102-0.112; $P < .001$) years per percentile in 2021. The gap in life expectancy between the richest and poorest percentiles increased from 11.52 years in 2019 to 14.67 years in 2020 and 15.51 years in 2021. Among Hispanic and non-Hispanic Asian, Black, and White populations, life expectancy declined 5.74 years among the Hispanic population, 3.04 years among the non-Hispanic Asian population, 3.84 years among the non-Hispanic Black population, and 1.90 years among the non-Hispanic White population between 2019 and 2021. The income-life expectancy gradient in these groups increased significantly between 2019 and 2020 (0.038 [95% CI, 0.030-0.045; $P < .001$] years per percentile among Hispanic individuals; 0.024 [95% CI: 0.005-0.044; $P = .02$] years per percentile among Asian individuals; 0.015 [95% CI, 0.010-0.020; $P < .001$] years per percentile among Black individuals; and 0.011 [95% CI, 0.007-0.015; $P < .001$] years per percentile among White individuals) and between 2019 and 2021 (0.033 [95% CI, 0.026-0.040; $P < .001$] years per percentile among Hispanic individuals; 0.024 [95% CI, 0.010-0.038; $P = .002$] years among Asian individuals; 0.024 [95% CI, 0.011-0.037; $P = .003$] years per percentile among Black individuals; and 0.013 [95% CI, 0.008-0.018; $P < .001$] years per percentile among White individuals). The increase in the gradient was significantly greater among Hispanic vs White populations in 2020 and 2021 ($P < .001$ in both years) and among Black vs White populations in 2021 ($P = .04$).

CONCLUSIONS AND RELEVANCE This retrospective analysis of census tract-level income and mortality data in California from 2015 to 2021 demonstrated a decrease in life expectancy in both 2020 and 2021 and an increase in the life expectancy gap by income level relative to the prepandemic period that disproportionately affected some racial and ethnic minority populations. Inferences at the individual level are limited by the ecological nature of the study, and the generalizability of the findings outside of California are unknown.

JAMA. 2022;328(4):360-366. doi:10.1001/jama.2022.10952
Published online July 7, 2022.

Author Affiliations: School of Education and Social Policy, Northwestern University, Evanston, Illinois (Schwandt); Buehler Center for Health Policy and Economics, Feinberg School of Medicine, Northwestern University, Chicago, Illinois (Schwandt); National Bureau of Economic Research (NBER), Cambridge, Massachusetts (Schwandt, Currie, von Wachter); Department of Economics, Princeton University, Princeton, New Jersey (Currie); Department of Economics, University of California, Los Angeles (von Wachter, Kowarski); California Policy Lab, University of California, Los Angeles (von Wachter, Kowarski); Center on Society and Health, Virginia Commonwealth University School of Medicine, Richmond (Chapman, Woolf).

Corresponding Author: Hannes Schwandt, PhD, Northwestern University, 2120 Campus Dr, Evanston, IL 60208 (schwandt@northwestern.edu).

The income-health gradient—the positive correlation between income and better health—is widely documented.¹⁻⁶ Less clear is whether the slope of that gradient changed in recent years, a period during which income inequality widened in the US.

This question assumed greater importance during the COVID-19 pandemic, during which mounting economic stresses might have altered the slope of the gradient and increased premature mortality among people with low incomes. Linking mortality to income at the individual level is difficult because income is not reported on US death certificates. An alternative is to link mortality to place-based income for smaller geographic areas, such as counties or census tracts.^{6,7}

The relationship between income and mortality is further complicated by the role of race and ethnicity. Generations of systemic racism have exposed racial and ethnic minority groups to both lower income and higher mortality rates.⁷⁻⁹ Notably during the pandemic, studies reported higher COVID-19 mortality rates in the American Indian and Alaska Native, Black, and Hispanic populations.¹⁰⁻¹⁴ Whether decreases in life expectancy observed in 2020 extended into 2021 and whether its relationship with income, race, and Hispanic ethnicity shifted during this time remains unclear.

This study's aim was to measure changes in life expectancy in 2020 and 2021 and examine how the relationship between income and life expectancy varied by year and by race and ethnicity. The study examined changes in the income-life expectancy gradient between 2015 and 2021, capturing the period before and during the first 2 years of the pandemic, and how those changes differed across racial and ethnic populations.

Methods

The California State Institutional Review Board waived requirements for informed consent because human subjects were not involved.

Death, Population, and Income Data

Restricted death data were obtained from the California Comprehensive Death Files maintained by the California Department of Health. These files provide detailed information about every death in California, including dates of birth and death, race and ethnicity, and census tract of residence. Although this analysis focused on deaths that occurred in 2019, 2020, and 2021, deaths in 2015, 2016, 2017, and 2018 were also examined to assess prepandemic mortality trends.

State-level calculations were based on all reported deaths in California (including decedents with out-of-state residence, consistent with the methodology of the US Mortality Database).¹⁵ Death data were obtained on March 22, 2022, when death counts for 2021 were largely complete and changing by less than 0.03% per week. Census tract-level calculations were based on deaths that occurred in census tracts for which data on median household income were available from the US Census Bureau's American Community Survey (ACS).¹⁶ This excluded deaths that occurred in census tracts lacking ACS income data or that could not be ascribed to a California

Key Points

Question How did the first 2 years of the COVID-19 pandemic affect life expectancy in California and the relationship between census tract income and life expectancy relative to prepandemic years?

Findings In this retrospective analysis of 1 988 606 deaths in California during 2015 to 2021, life expectancy declined from 81.40 years in 2019 to 79.20 years in 2020 and 78.37 years in 2021. Life expectancy differences between the census tracts in the highest and lowest income percentiles increased from 11.52 years in 2019 to 14.67 years in 2020 and 15.51 years in 2021.

Meaning This ecological study of deaths in the state of California demonstrated that life expectancy declines in 2020 increased in 2021 and that the life expectancy gap by income level increased during the first 2 years of the COVID-19 pandemic relative to the prepandemic period.

census tract (ie, not geocoded or geocoded to an out-of-state residence). Population counts (overall and by race and ethnicity) for 2015, 2016, 2017, 2018, and 2019 (the most recent year with reliable estimates) were obtained from the ACS.

Grouping Census Tracts by Percentiles of Median Household Income

The income gradient was examined for the state population and 4 populations defined by race and ethnicity to identify racial and ethnic differences in the income-life expectancy relationship. Death data were analyzed by race and ethnicity based on 6 fixed-response options used by the California Comprehensive Death Files: Hispanic and non-Hispanic American Indian and Alaska Native, Asian, Black, Native Hawaiian and Pacific Islanders, and White populations. This study constructed gradients for 4 of these populations. For the non-Hispanic Native Hawaiian and Pacific Islander population and the non-Hispanic American Indian and Alaska Native population, a group that is reported to have high mortality rates during the COVID-19 pandemic,¹⁴ calculation of life expectancy was not possible because of historic¹⁷ and COVID-19-related¹⁸ deficiencies in the quality of available death data. Many individuals in the US self-identify as Latino/Latina. This paper uses the term *Hispanic* to maintain consistency with data sources and with current guidelines on the reporting of race and ethnicity.¹⁹

For the statewide gradient analysis, census tracts were ranked by median household income and then divided into 100 groups (percentiles), such that each group included approximately 1% of the California population. The population-weighted mean of the median household income in each group of census tracts was then computed for each calendar year. Although the original ranking of census tracts by median household income was maintained throughout, for calculations of racial and ethnic patterns, both the number of groupings and the number of tracts within each grouping were modified to ensure that each group of tracts included at least 250 000 people of a given race or ethnicity. For example, 93 census tract groups, rather than 100, were formed to analyze the gradient for the Hispanic populations. The new groups were assigned the population-weighted mean rank of the census tracts contained in a given group.

Table. Sociodemographic Characteristics and Life Expectancy by Median Household Income

Median income percentile ^a	Median household income, \$ ^b	Population in thousands (%) ^c				Life expectancy, y			Life expectancy change relative to 2019, y	
		Hispanic	Non-Hispanic Asian	Non-Hispanic Black	Non-Hispanic White	2019	2020	2021	2020	2021
1	21 279	179 (45.2)	60 (15.1)	50 (12.6)	85 (21.4)	75.90	72.11	71.05	-3.79	-4.85
2	27 599	241 (61.1)	31 (8.0)	32 (8.2)	72 (18.2)	77.35	72.95	72.20	-4.41	-5.15
3	30 527	244 (61.6)	33 (8.4)	39 (9.9)	61 (15.5)	78.22	74.69	73.93	-3.54	-4.30
4	32 325	262 (66.2)	19 (4.9)	31 (7.8)	65 (16.6)	77.84	74.10	73.29	-3.75	-4.55
5	34 197	228 (57.8)	20 (5.0)	38 (9.7)	88 (22.4)	77.95	74.78	73.32	-3.17	-4.63
10	40 562	234 (59.1)	28 (7.2)	33 (8.4)	80 (20.2)	78.25	74.91	74.54	-3.34	-3.72
20	49 555	214 (54.1)	35 (8.8)	28 (7.0)	100 (25.4)	80.83	77.38	76.98	-3.45	-3.85
30	57 422	200 (50.5)	38 (9.7)	27 (6.7)	110 (27.8)	79.80	78.42	77.37	-1.38	-2.43
40	65 670	167 (42.4)	44 (11.1)	18 (4.6)	141 (35.7)	81.52	79.59	78.44	-1.93	-3.07
50	74 633	159 (40.2)	48 (12.1)	18 (4.6)	146 (36.9)	81.68	78.71	78.25	-2.97	-3.43
60	84 238	152 (38.6)	58 (14.8)	17 (4.3)	145 (36.7)	82.45	80.36	79.71	-2.09	-2.74
70	95 135	129 (32.8)	59 (14.9)	17 (4.3)	160 (40.4)	82.61	81.20	80.48	-1.41	-2.12
80	109 190	84 (21.2)	73 (18.6)	18 (4.6)	192 (48.6)	83.16	82.81	81.83	-0.35	-1.33
90	132 154	69 (17.6)	77 (19.4)	11 (2.9)	208 (52.6)	84.45	83.22	82.67	-1.22	-1.78
95	153 053	47 (11.9)	87 (22.0)	10 (2.5)	221 (55.8)	86.51	85.16	84.71	-1.35	-1.80
96	158 945	39 (9.8)	115 (29.1)	7 (1.8)	206 (52.1)	85.67	84.89	84.30	-0.78	-1.37
97	166 104	39 (9.8)	103 (26.0)	7 (1.7)	215 (54.4)	85.65	85.08	84.24	-0.58	-1.41
98	180 526	33 (8.4)	98 (24.7)	7 (1.6)	228 (57.7)	87.35	85.70	85.29	-1.65	-2.06
99	197 471	27 (6.9)	121 (30.8)	6 (1.4)	211 (53.3)	85.88	85.85	85.65	-0.03	-0.23
100	232 261	23 (5.9)	106 (26.9)	4 (0.9)	231 (58.6)	87.42	86.78	86.56	-0.64	-0.86
Statewide	75 235	15 328 (39.0)	5617 (14.3)	2169 (5.5)	14 605 (37.2)	81.40	79.20	78.37	-2.20	-3.04

^a See Methods section for calculation of census tract median household income percentile. Life expectancy values and life expectancy changes across income percentiles among Hispanic and non-Hispanic Asian, Black, and White populations are reported in eTables 1-4 in the Supplement.

^c Population count in thousands of each percentile (parentheses) and the racial and ethnic composition (%) of that group of census tracts, calculated as population weighted mean.

^b Table presents the median household income averaged across census tracts included in a given percentile group.

Outcomes

The primary outcome was life expectancy at birth, an estimate of how long a cohort of newborns can expect to live were they to experience the prevailing age-specific mortality rates of the year in which life expectancy is measured at each age.²⁰ Estimates of life expectancy at birth in 2020, for example, describe the mortality experience of a population in that year of the pandemic; they are not a prediction of the lifespan of children born in 2020, which will depend on prevailing mortality rates across their life course.

Statistical Analysis

Calculation of Life Expectancy at Birth

For each year from 2015 to 2021, age-specific mortality rates were calculated for single years of age for ages 0 to 84 years. For adults aged 85 to 110 years, the US Census Bureau provides population data only in aggregate form; accordingly, an ordinary least squares regression was fitted to the log mortality rates for ages 55 to 84 years (ie, a Gompertz curve) to predict rates for single years of age older than 84 years.⁵ Using standard life table methods,²⁰ age-specific mortality rates for ages 0 to 110 years were then used to calculate life expectancy. The same methodology was used to calculate age-specific mortality rates and life expectancy at the census tract level, using aggregate populations and death counts for each group of census tracts as described in the Supplement. Life

expectancy was calculated from largely complete death counts, obviating the need for error estimations as required in studies that model life expectancy based on sampling.

Calculation of Income Gradients in Life Expectancy

The calculated life expectancy and income rank of each census tract group were plotted for each year. They were overlaid with cubic polynomials fitted through the points via ordinary least squares. Linear income gradients were then estimated as the slope of a linear ordinary least squares regression of life expectancy on income percentile. The statistical significance of differences between slopes across years and racial and ethnic groups was based on 2-sided *t* tests with a significance threshold of .05. Additional details about the estimation of income gradients are provided in eAppendix part III in the Supplement.

All data were analyzed using Stata, version 16 (StataCorp).

Results

During 2015 to 2021, a total of 1 988 606 deaths occurred in California, including 320 882 deaths in 2020 and 334 005 deaths in 2021. ACS data on median household income were available for 7962 of 8057 census tracts (98.8%) in California,

representing 1 899 065 deaths (95.5%) occurring in the state. The excluded census tracts represented less than 0.1% of the state population. Approximately 4.5% of California deaths were omitted from the census tract analysis because they were not geocoded to a census tract (3.5%) or were geocoded to a census tract outside of California (0.9%). In 2019, median annual household income ranged from a mean of \$21 279 in the lowest income percentile tracts to a mean of \$232 261 in the highest percentile (Table). The median population per census tract in 2019 was 4918 people.

Statewide Life Expectancy

Life expectancy in California varied from year to year by less than 0.2 years in the period preceding the COVID-19 pandemic (2015-2019), but decreased from 81.40 years in 2019 to 79.20 years in 2020 and 78.37 years in 2021. The decline in life expectancy differed by race and ethnicity (Figure 1). Life expectancy in the Hispanic population, which has historically exceeded that of the non-Hispanic White population, experienced the largest decline during the pandemic, decreasing by 4.41 years, from 82.55 years in 2019 to 78.14 years in 2020—falling below life expectancy in the non-Hispanic White population—and decreasing an additional 1.33 years, to 76.81 years, in 2021. In contrast, the non-Hispanic White population experienced the smallest decrease in life expectancy, decreasing by 1.29 years, from 80.57 years in 2019 to 79.28 years in 2020, and decreasing an additional 0.61 years, to 78.67 years, in 2021. Life expectancy in the non-Hispanic Asian population, which has historically had the longest survival among US racial groups, decreased from 86.56 years in 2019 to 84.24 years in 2020 (a loss of 2.32 years) and 83.52 years in 2021 (a further loss of 0.72 years). Life expectancy among the non-Hispanic Black population, who entered the pandemic with longstanding disparities in life expectancy, decreased by 3.21 years between 2019 (74.87 years) and 2020 (71.65 years) and declined to 71.02 years in 2021 (an additional loss of 0.63 years).


Life Expectancy by Census Tract Income Percentile Prepandemic Years

Higher census tract income was associated with longer life expectancy in every year (Figure 2 and Table). In 2019, life expectancy ranged from 75.90 years in the lowest income group of census tracts (lowest 1%) to 87.42 years in the highest income tracts (highest 1%). The gradient—the estimated slope of the regression line through the percentile groups—in 2019 was 0.075 (95% CI, 0.070-0.080), indicating that moving from one group (percentile) of census tracts to the next highest percentile was associated with an increase of 0.075 years in life expectancy. The estimated gradients in 2019 did not differ significantly from the gradients in 2015 (0.072 years per percentile [95% CI, 0.067-0.076]; $P = .14$), 2016 (0.072 years per percentile [95% CI, 0.068-0.076]; $P = .22$), 2017 (0.074 years per percentile [95% CI, 0.070-0.079]; $P = .65$), or 2018 (0.078 years per percentile [95% CI, 0.073-0.082]; $P = .36$).

Pandemic Years (2020 and 2021)

In both 2020 and 2021, decreases in life expectancy in California were larger in the lowest income census tracts. This

Figure 1. Statewide Life Expectancy in California by Race and Ethnicity, 2015-2021



Life expectancy at birth for the total state population and for 4 racial and ethnic groups. Mortality rates were calculated by year based on all deaths in California, including nonresident decedents (numerator) and population counts from the American Community Survey (ACS; denominator). ACS population counts for 2015 to 2019 were used to calculate mortality rates for corresponding years and the 2019 population count, the most recent year with reliable estimates, was used to calculate rates for 2020 and 2021. See Methods and Results sections for methodology and life expectancy values for 2019, 2020, and 2021.


pattern was observed in the general population (Table) and in each of the 4 racial and ethnic populations (eTables 1-4 in the Supplement). Compared with 2019, life expectancy in 2020 decreased by 3.79 years (from 75.90 to 72.11 years) in the lowest income percentile, while it decreased by 0.64 years (from 87.42 to 86.78 years) in the highest income percentile. Compared with the 2019 gradient, the estimated gradient in 2020 increased significantly, to 0.103 years per percentile (95% CI, 0.098-0.108; $P < .001$), which increased the difference in life expectancy between the highest and lowest income percentiles from 11.52 years in 2019 to 14.67 years in 2020.

This phenomenon continued into 2021, when life expectancy decreased in the lowest income percentile tract by 4.85 years relative to 2019, compared with 0.86 years in the highest income percentile, increasing the difference between the highest and lowest percentile to 15.51 years. Compared with 2020, the gradient in 2021 increased significantly to 0.107 years per percentile (95% CI, 0.102-0.112; $P < .001$).

Life Expectancy Change by Census Tract Income and Racial and Ethnic Group

Compared with non-Hispanic White populations in California, Hispanic, non-Hispanic Asian, and non-Hispanic Black populations in California experienced larger decreases in life expectancy in 2020 and 2021 (Figure 1) and larger increases in the income-life expectancy gradient (Figure 3). Compared with 2019, the estimated gradient increased significantly in 2020 by 0.038 years per percentile (95% CI, 0.030-0.045; $P < .001$) in Hispanic individuals, by 0.024 years per percentile (95% CI, 0.005-0.044; $P = .017$) among non-Hispanic Asian individuals, by 0.015 years per percentile

Figure 2. Life Expectancy in California by Census Tract Median Household Income Percentile, 2015-2021



(95% CI, 0.010-0.020; $P < .001$) in Black individuals, and by 0.011 years per percentile (95% CI, 0.007-0.015; $P < .001$) in White individuals.

The increased slopes observed in 2020 were maintained in 2021 across these populations, but the estimated gradient did not change significantly between these 2 years ($P > .05$ in each of the 4 racial and ethnic groups). However, compared with 2019, gradients in 2021 increased significantly by 0.033 years per percentile (95% CI, 0.026-0.040; $P < .001$) among Hispanic individuals, 0.024 years per percentile (95% CI, 0.010-0.038; $P = .002$) among Asian individuals, 0.024 years per percentile (95% CI, 0.011-0.037; $P = .003$) among Black individuals, and 0.013 years per percentile (95% CI, 0.008-0.018; $P < .001$) among White individuals.

Compared with the non-Hispanic White population, the gradient increases experienced by the Hispanic population between 2019 and 2020 and 2021 were significantly larger ($P < .001$ in both years). Although the increase that occurred in the non-Hispanic Black population in 2020 did not differ significantly from that of the non-Hispanic White population ($P = .12$), the increase in 2021 was significantly larger ($P = .04$). Gradient increases in the non-Hispanic Asian and White populations did not differ significantly in either year.

Discussion

This retrospective analysis of mortality data in California from 2015 to 2021 demonstrated that declines in life expectancy in 2020 grew larger in 2021, the life expectancy gap by income level increased during the first 2 years of the COVID-19 pandemic relative to the prepandemic period, and life expectancy declines were larger in racial and ethnic minority populations, particularly in lower-income census tracts.

Other studies have reported that US life expectancy decreased significantly in 2020 and that these decreases were much larger among Hispanic and Black populations than White populations.^{16-19,21,22} The current study shows that the decrease in life expectancy in California continued in 2021,


despite the availability of a highly effective vaccine. Further research is needed to clarify the potential contributors to that year's heightened mortality (eg, surges in contagious variants, resistance to public health measures).

The disproportionately large decreases in life expectancy among Hispanic and non-Hispanic Black populations reflect their exposure to higher COVID-19 infection, hospitalization, and death rates, especially early in the pandemic.^{16-19,23} This disparity, much like other racial and ethnic inequities, has roots in the social determinants of health as well as structural barriers resulting from systemic racism that have helped perpetuate disparities for generations.^{8,24} In the case of COVID-19, Hispanic and non-Hispanic Black populations were more likely to rely on jobs (often as frontline workers),²⁵ transportation, and housing conditions that heightened viral exposure²⁶ and to encounter barriers to health care,^{27,28} a higher prevalence of comorbid conditions,²⁹ and socioeconomic challenges that jeopardized their health.

Families of lower socioeconomic status are more vulnerable to economic instability and were less likely to access income support programs during the pandemic,³⁰ raising concerns that the stresses brought on by the pandemic might have widened health gaps related to income and race and ethnicity. To our knowledge, this is the first study to confirm that, at least in 1 state, the income-life expectancy gradient increased significantly in both 2020 and 2021 and to report life expectancy trends during the pandemic in the non-Hispanic Asian population. This increase occurred across all 4 racial and ethnic groups, but the increase in the gradient in the Hispanic population was significantly larger than in the non-Hispanic White population.

Due, in part, to this changing gradient, people in low-income census tracts had larger decreases in life expectancy than people in higher income tracts. Within census tracts, these decreases were greater among Hispanic, non-Hispanic Black, and non-Hispanic Asian populations than among non-Hispanic White people, demonstrating the added health implications of race and ethnicity even within a given location.

Figure 3. Change in Life Expectancy in California in 2020 and 2021 Relative to 2019 by Race and Ethnicity



Changes in life expectancy at birth between 2019 and 2020 and between 2019 and 2021 were calculated separately for each group of census tracts (represented by dots) across 4 racial and ethnic groups. The number of groupings was modified to ensure that each group of tracts included at least 250 000 people of a given race and ethnicity. The percentile rank of modified

groupings represents the mean income rank of the different tracts contained in the modified group. Lines indicate predicted values of a cubic polynomial estimated separately for each racial and ethnic category. The estimated change in the linear gradients for each racial and ethnic group are reported with 95% CIs (estimation details provided in eAppendix part III in the Supplement).

This study measured income at the census tract level, not for individuals or households. Research in social epidemiology and economics has demonstrated that population health and geographic health disparities are shaped by both individual-/household-level and area-based socioeconomic status.³¹⁻³³ The social determinants of health include not only the educational, employment, and economic status of individuals and families, but also the resources and infrastructure in their communities. These factors include school systems, affordable housing and transportation systems, health care systems, jobs and economic development, air quality and other environmental conditions, and social services and infrastructure to support health. Census tracts with low levels of median household income are often marginalized communities with a smaller tax base, limited municipal budgets, and weaker economies to provide and sustain this infrastructure. Documenting area-based health disparities can help inform policy development and set priorities for targeting resources and investments to marginalized communities.

Limitations

This study has several limitations. First, the study lacked individual data on socioeconomic status and relied on place-based measures of income. Second, data on deaths and income may have been incomplete; data for all deaths in California were included, but a small proportion of unreported deaths cannot be ruled out. Data on income were lack-

ing for 1.1% of census tracts, representing less than 0.1% of the state population, and were subject to some degree of uncertainty common to survey data. Third, mortality rate calculations for 2020 and 2021 relied on 2019 population counts, because reliable population data for later years were lacking. Fourth, in this ecological study, the observed correlation between census tract-level income and life expectancy cannot prove a causal relationship and is not generalizable to the individual level. Fifth, results for California are not generalizable to other states. The non-Hispanic Black population had higher death rates in other states than are reported here for California. Sixth, data limitations precluded the separate analysis of American Indian and Alaska Native populations, who are believed to have experienced disproportionately high mortality rates during the pandemic.³⁴

Conclusions

This retrospective analysis of census tract-level income and mortality data in California from 2015 to 2021 demonstrated a decrease in life expectancy in both 2020 and 2021 and an increase in the life expectancy gap by income level relative to the prepandemic period that disproportionately affected some racial and ethnic minority populations. Inferences at the individual level are limited by the ecological nature of the study, and the generalizability of the findings outside of California are unknown.

ARTICLE INFORMATION

Accepted for Publication: June 9, 2022.

Published Online: July 7, 2022.

doi:10.1001/jama.2022.10952

Author Contributions: Dr Schwandt had full access to all of the data in the study and takes responsibility for the integrity of the data and the accuracy of the data analysis.

Concept and design: Schwandt, Currie, von Wachter, Kowarski.

Acquisition, analysis, or interpretation of data: All authors.

Drafting of the manuscript: Schwandt, Currie.

Critical revision of the manuscript for important intellectual content: All authors.

Statistical analysis: Schwandt, von Wachter, Kowarski, Chapman.

Obtained funding: von Wachter.

Administrative, technical, or material support: Schwandt.

Supervision: Currie, von Wachter, Woolf.

Conflict of Interest Disclosures: Dr Schwandt reported receiving grants from the National Institutes of Health during the conduct of the study. Dr von Wachter reported receiving grants from the National Institute of Health during the conduct of the study. No other disclosures were reported.

Funding/Support: This research was supported by the US National Institute on Aging through grant #P01AGO05842 to the National Bureau of Economic Research. Dr Woolf received partial funding from grant UL1TR002649 from the National Center for Advancing Translational Sciences.

Role of the Funder/Sponsor: The funders had no role in the design and conduct of the study; collection, management, analysis, and interpretation of the data; preparation, review, or approval of the manuscript; and decision to submit the manuscript for publication.

Additional Contributions: This research was facilitated by the California Policy Lab, University of California Los Angeles, which helped access the data, hosted the research on its secure infrastructure, and provided financial support. We thank David Cutler, PhD (Department of Economics, Harvard University, Cambridge, Massachusetts), Angus Deaton, PhD (Department of Economics, Princeton University), and Jonathan Skinner, PhD (Department of Economics, Dartmouth College, Hanover New Hampshire), who provided helpful comments. None of these individuals received compensation for their contributions.

REFERENCES

- Kitagawa E, Hauser R. *An Investigation into Differential Mortality in the United States*. Harvard University Press; 1973.
- Marmot MG, Smith GD, Stansfeld S, et al. Health inequalities among British civil servants: the Whitehall II study. *Lancet*. 1991;337(8754):1387-1393. doi:10.1016/0140-6736(91)93068-K
- Case A, Paxson C. The long reach of childhood health and circumstance: evidence from the Whitehall II study. *Econ J (London)*. 2011;121(554):F183-F204. doi:10.1111/j.1468-0297.2011.02447.x
- Deaton A, Paxson CH. In: Wise DA, ed. *Mortality, Education, Income, and Inequality Among American Cohorts: Themes in the Economics of Aging*. University of Chicago Press; 2001:129-165.
- Chetty R, Stepner M, Abraham S, et al. The association between income and life expectancy in the United States, 2001-2014. *JAMA*. 2016;315(16):1750-1766. doi:10.1001/jama.2016.4226
- Currie J, Schwandt H. Inequality in mortality decreased among the young while increasing for older adults, 1990-2010. *Science*. 2016;352(6286):708-712. doi:10.1126/science.aaf1437
- Schwandt H, Currie J, Bär M, et al. Inequality in mortality between Black and White Americans by age, place, and cause and in comparison to Europe, 1990 to 2018. *Proc Natl Acad Sci U S A*. 2021;118(40):e2104684118. doi:10.1073/pnas.2104684118
- Williams DR, Jackson PB. Social sources of racial disparities in health. *Health Aff (Millwood)*. 2005;24(2):325-334. doi:10.1377/hlthaff.24.2.325
- Harper S, Lynch J, Burris S, Davey Smith G. Trends in the black-white life expectancy gap in the United States, 1983-2003. *JAMA*. 2007;297(11):1224-1232. doi:10.1001/jama.297.11.1224
- Andrasfay T, Goldman N. Reductions in 2020 US life expectancy due to COVID-19 and the disproportionate impact on the Black and Latino populations. *Proc Natl Acad Sci U S A*. 2021;118(5):e2014746118. doi:10.1073/pnas.2014746118
- Chandra A, Simon S, Alsan M. The great unequalizer: initial health effects of COVID-19 in the United States. *J Econ Perspect*. 2021;35(3):25-46. doi:10.1257/jep.35.3.25
- Woolf SH, Masters RK, Aron LY. Effect of the covid-19 pandemic in 2020 on life expectancy across populations in the USA and other high income countries: simulations of provisional mortality data. *BMJ*. 2021;373:n1343. doi:10.1136/bmj.n1343
- Miller S, Wherry LR, Mazumder B. Estimated mortality increases during the COVID-19 pandemic by socioeconomic status, race, and ethnicity: study examines COVID-19 mortality by socioeconomic status, race, and ethnicity. *Health Aff*. 2021;40(8):1252-1260. doi:10.1377/hlthaff.2021.00414
- Bassett MT, Chen JT, Krieger N. Variation in racial/ethnic disparities in COVID-19 mortality by age in the United States: a cross-sectional study. *PLoS Med*. 2020;17(10):e1003402. doi:10.1371/journal.pmed.1003402
- Barbieri M. *Overview of the United States Mortality DataBase (USMDB)*. Society of Actuaries; 2018. Accessed January 23, 2022. <https://www.soa.org/globalassets/assets/files/resources/research-report/2018/us-mortality-database.pdf>
- American Community Survey 5-year data: tables B01001, B19013. US Census Bureau. Accessed July 1, 2022. <https://www.census.gov/data/developers/data-sets/acs-5year.html>
- Arias E, Heron M, Hakes J; National Center for Health Statistics; US Census Bureau. The validity of race and Hispanic-origin reporting on death certificates in the United States: an update. *Vital Health Stat 2*. 2016;(172):1-21.
- Hatcher SM, Agnew-Brune C, Anderson M, et al. COVID-19 among American Indian and Alaska Native Persons—23 States, January 31-July 3, 2020. *MMWR Morb Mortal Wkly Rep*. 2020;69(34):1166-1169. doi:10.15585/mmwr.mm6934e1
- Flanagin A, Frey T, Christiansen SL, Bauchner H. The reporting of race and ethnicity in medical and science journals: comments invited. *JAMA*. 2021;325(11):1049-1052. doi:10.1001/jama.2021.2104
- Preston SH, Heuveline P, Guillot M. *Demography: Measuring and Modeling Population Processes*. Blackwell Publishers; 2001.
- Murphy SL, Kochanek KD, Xu JQ, Arias E. *Mortality in the United States, 2020: NCHS Data Brief, No. 427*. National Center for Health Statistics; 2021.
- Islam N, Jdanov DA, Shkolnikov VM, et al. Effects of covid-19 pandemic on life expectancy and premature mortality in 2020: time series analysis in 37 countries. *BMJ*. 2021;375:e066768. doi:10.1136/bmj-2021-066768
- Bruckner TA, Parker DM, Bartell SM, et al. Estimated seroprevalence of SARS-CoV-2 antibodies among adults in Orange County, California. *Sci Rep*. 2021;11(1):3081. doi:10.1038/s41598-021-82662-x
- Aizer A, Currie J. The intergenerational transmission of inequality: maternal disadvantage and health at birth. *Science*. 2014;344(6186):856-861. doi:10.1126/science.1251872
- Blau FD, Koebe J, Meyerhofer PA. Who are the essential and front-line workers? National Bureau of Economic Research working paper 27791. September 2020. Accessed June 23, 2022. <https://www.nber.org/papers/w27791>
- Cohn D, Passel JS. A record 64 million Americans live in multigenerational households. *Pew Research Center*. April 5, 2018. Accessed January 25, 2022. <https://www.pewresearch.org/fact-tank/2018/04/05/a-record-64-million-americans-live-in-multigenerational-households/>
- Cohen RA, Cha AE, Martinez ME, Terlizzi EP. Health insurance coverage: early release of estimates from the National Health Interview Survey, January-June 2020. National Center for Health Statistics. Published February 2021. Accessed January 25, 2022. <https://www.cdc.gov/nchs/data/nhis/earlyrelease/insur202102-508.pdf>
- Chandra A, Kakani P, Sacarny A. Hospital allocation and racial disparities in health care. National Bureau of Economic Research working paper 28018. October 2020. Accessed July 1, 2022. doi:10.3386/w28018
- Kabarriti R, Brodin NP, Maron MI, et al. Association of race and ethnicity with comorbidities and survival among patients with COVID-19 at an urban medical center in New York. *JAMA Netw Open*. 2020;3(9):e2019795. doi:10.1001/jamanetworkopen.2020.19795
- Bell A, Hedin TJ, Mannino P, Moghadam R, Schnorr G, von Wachter T. Disparities in access to unemployment insurance during the COVID-19 pandemic: lessons from US and California claims data. November 2021. Accessed March 1, 2022. <https://www.cpolicylab.org/wp-content/uploads/2022/02/Disparities-in-Access-to-UI-Insurance-During-COVID-19-Pandemic.pdf>
- Do DP, Finch BK, Basurto-Davila R, Bird C, Escarce J, Lurie N. Does place explain racial health disparities? quantifying the contribution of residential context to the Black/white health gap in the United States. *Soc Sci Med*. 2008;67(8):1258-1268. doi:10.1016/j.socscimed.2008.06.018
- Diez Roux AV, Mair C. Neighborhoods and health. *Ann N Y Acad Sci*. 2010;1186:125-145. doi:10.1111/j.1749-6632.2009.05333.x
- Deryugina T, Molitor D. The causal effects of place on health and longevity. *J Econ Perspect*. 2021;35(4):147-170. doi:10.1257/jep.35.4.147
- Acosta AM, Garg S, Pham H, et al. Racial and ethnic disparities in rates of COVID-19-associated hospitalization, intensive care unit admission, and in-hospital death in the United States from March 2020 to February 2021. *JAMA Netw Open*. 2021;4(10):e2130479. doi:10.1001/jamanetworkopen.2021.30479